



1723

**Filed in Duplicate
PATENT APPLICATION**

I hereby certify that this correspondence is being deposited
with the United States Postal Service with sufficient postage
as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on August 13, 2003.

Rod D. Baker, Reg. No. 35,434

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 10/075,784
Applicant : Ingo BLUME, et al.
Filed : February 13, 2002
Title : PRESSURIZED FILTERING APPARATUS WITH MEMBRANE MODULES

TC/A.U. : 1723
Antic. Examiner: J. Drodge
Confirmation No. 9749
Docket No. : 30394-1021

Commissioner for Patents
United States Patent and Trademark Office
PO Box 1450
Alexandria, Virginia 22313-1450

STATUS INQUIRY

Dear Sir:

Applicants respectfully request status of the examination of the referenced patent
application. No office action has been received from the U.S. Patent and Trademark Office
since receipt of the Official Filing Receipt on May 28, 2002.


STATUS OF SER. NO. 10/075,784:

An office action was mailed on _____.
No office action has been mailed as of _____.
Other: _____.

A duplicate of this Request is provided for the convenience of the Office. Please return one copy to the below-signed.

Respectfully submitted,

By:

A handwritten signature in black ink, appearing to read "Rod D. Baker", written over a horizontal line.

Rod D. Baker, Reg. No. 35,434
Direct line: (505) 998-1504

Peacock, Myers & Adams, P.C.
Attorneys for Applicant(s)
P. O. Box 26927
Albuquerque, New Mexico 87125-6927
Telephone: (505) 242-9677
Facsimile: (505) 243-2542
Customer No. 005179